

Specification

~~Title of the Invention~~

~~Service System~~

5 Background of the Invention

The present invention relates to a service system using a DVD (Digital Versatile Disc).

A learning system using the Internet is known as a service system of this type.

10 In this learning system, a CD-ROM (Compact Disc ROM) is distributed as a teaching material, and corrections/lessons, questions and answers, and learning result management based on the distributed teaching material are done through the Internet.

15 A student inserts the purchased CD-ROM to his/her personal computer (to be referred to as a PC hereinafter) to connect it to the Internet and access a corresponding web server on the Internet. Information stored in the CD-ROM is played back in accordance with
20 an instruction from the server side, and the playback information is displayed on the PC. On the basis of the playback information, individual learning such as questions and answers or corrections/lessons is done.

The CD-ROM used in such a learning system can
25 store only a limited amount of information because of its small storage capacity. Since no sufficient learning effect is obtained, use of a DVD (Digital

Versatile Disc) having a large storage capacity as the teaching material of the learning system has been examined.

Summary of the Invention

5 It is therefore an object of the present invention to make it possible to use a DVD in a service system such as a learning system.

~~In The preferred embodiment order to achieve the above object, according to the present invention,~~
10 ~~there is provided~~ a service system which
includes comprising a digital versatile disc having a first file which stores video and audio information and a second file which stores playback control information for the information in the first file, the information
15 being normally unable to be played back from the digital versatile disc, a terminal connected to a network and adapted to receive the digital versatile disc, and a server arranged in the network and having repair information which can repair the information in the
20 digital versatile disc, the server returning the repair information to the terminal and causing the terminal to play back the information from the digital versatile disc upon receiving a playback request for the information in the digital versatile disc from the
25 terminal when the terminal uses the digital versatile disc.

Brief Description of the Drawings

Fig. 1 is a block diagram showing a service system according to the first embodiment~~of the present invention~~;

Figs. 2A to 2C are block diagrams of the servers and PC of the service system;

Figs. 3A to 3C are views for explaining the software configuration of the PC and servers;

Fig. 4 is a sequence chart showing operations of the respective sections of the system shown in Fig. 1;

Fig. 5 is a sequence chart showing operations of the respective sections of the system shown in Fig. 1;

Fig. 6 is a sequence chart showing operations of the respective sections of the system shown in Fig. 1;

Figs. 7A to 7E are views showing formats of a DVD inserted to the PC;

Fig. 8 is a block diagram showing a service system according to the fourth embodiment; and

Fig. 9 is a block diagram showing a service system according to the fifth embodiment.

Description of the Preferred Embodiments

The present invention will be described below with reference to the accompanying drawings.

Fig. 1 shows a service system according to the first embodiment~~of the present invention~~, which uses a

DVD. The service system is applied to a learning system using the Internet.

Referring to Fig. 1, in this learning system, servers 1 and 2 are arranged on the Internet 5. The server 1 accommodates a database 3 which stores various kinds of information and also stores textbooks prepared by teachers. The server 2 controls playback of a DVD (Digital Versatile Disc) (to be described later).

A client PC (to be referred to as a PC hereinafter) 7 as a terminal used by a student is connected to the Internet 5. A DVD 8 as a teaching material for the student, which stores video information and audio information, is inserted into the PC 7.

Figs. 2A to 2C show the hardware configurations of the servers 2 and 1, database 3, and PC 7 of the learning system.

The server 2 ~~includes~~comprises a control section 21 formed from a CPU or the like, a memory 22 for storing software to be executed by the memory 22 and various data, and a communication I/F 23 for transmitting information through the Internet 5, as shown in Fig. 2A.

The server 1 has a control section 11, memory 12, and communication I/F 13, as shown in Fig. 2B, and is connected to the database 3 having a student information database 3A and progress/playback information database 3B (to be described later).

The PC 7 ~~includes~~comprises a control section 71, memory 72, DVD I/F 73, communication I/F 74, display section 75, and operation section 76 such as a keyboard, as shown in Fig. 2C.

5 The DVD 8 has a format ~~comprised of~~which includes a VMG (Video Manager), VTS (Video Title Set) #1 to #n, and MPEG2 program stream, as shown in Fig. 7A. The MPEG2 program stream is video and audio stream data and is called a VOB (Video OBject) file. The VMG and
10 VTS #1 to #n are called an IFO file which stores control information for ~~an~~ access to the VOB file. Such IFO file and VOB file are designated by extensions of DVD-Video.

 In the first embodiment of the service
15 ~~system~~present invention, the incomplete DVD 8 in which the IFO file is partially or entirely erased (or destroyed), or the header of the VOB file is erased (or destroyed), is distributed to the student side for pay. The DVD 8 cannot be played back by a normal player and
20 can be played back in accordance with repair information from the server side, as will be described later.

The software configuration of each section of the learning system will be described next.

As software executed by the control section 71
25 of the PC 7 used by the student, an Internet browser used to browse homepages (web pages to be described later) in each server on the Internet 5 is stored in the

memory 72. Additionally, playback assistant software 7A,
playback object 7B, and DVD player 7C shown in Fig. 3A,
which are used to play back information in the DVD 8,
are installed in the memory 72. The playback assistant
5 software 7A has a repair function for the erased or
destroyed IFO and VOB files of the DVD 8. The playback
object 7B has a function of transferring repair
information to the playback assistant software 7A and
causing it to repair the erased (destroyed) portion of
10 the file of the DVD 8 in accordance with an instruction
from the server 2 upon executing the Internet browser
and also displaying the playback information in the DVD
8 on the display section 75. The DVD player 7C has a
function of playing back the information in the DVD 8 on
15 the basis of an instruction from the playback object 7B.

The memory 12 of the server 1 has a web page
1B, as shown in Fig. 3B. The web page 1B stores
textbooks prepared by teachers. A textbook stored in
the web page 1B is loaded into the PC 7 by executing the
20 Internet browser in the PC 7 and displayed on the
display section 75 of the PC 7.

The database 3 connected to the server 1 has
the above-described student information database 3A and
progress/playback information database 3B. The student
25 information database 3A has a table in which the
identification information (ID) of each student and the
progress page of each subject (progress page of each

textbook) are registered in association with each other.
The progress/playback information database 3B has a
table in which the progress page of each subject and a
playback clip name are registered in association with
5 each other, and a table in which a textbook page in the
web page 1B and a playback position in the DVD 8 are
registered in association with each other.

As software executed by the control section 11
of the server 1, a security gate 1A shown in Fig. 3B is
10 prepared. The security gate 1A has a function of
inhibiting the PC 7 from browsing an impermissible
textbook page in the web page 1B and also a function of
transmitting an appropriate page content of a textbook
in the web page 1B to the PC 7.

15 ~~As the software executed by the control~~
section 21 of the server 2, a server-side playback
control object 2A and client-side playback control
object 2B as shown in Fig. 3C are prepared. The
server-side playback control object 2A is executed by
20 the control section 21 and has a function of
transferring the repair information for the DVD 8 and
the playback control information (playback start
information) of the DVD 8 to the client-side playback
control object 2B. The client-side playback control
25 object 2B is software loaded into the PC 7 and executed
in accordance with a web page instruction upon executing
the Internet browser in the PC 7, and has a function of

receiving the repair information for the DVD 8 from the server-side playback control object 2A and transferring the repair information to the playback object 7B of the PC 7 on the basis of the web page instruction.

5 The memory 22 of the server 2 stores pieces of repair information 2C including the repair information of the IFO file and that of the VOB file of the DVD 8 and also has a database 2D in which a playback clip name and playback position information of the DVD 8 are
10 registered in correspondence with each of the pieces of stored repair information 2C.

Operation of the learning system with the above arrangement will be described with reference to the sequence charts shown in Figs. 4 to 6.—Operation
15 ~~shown in the sequence chart of Fig. 4 will be described first.~~

Prior to the student's learning using the Internet, the server 1 transmits its authentication information to the server 2 in advance (step S1). The
20 server 2 authenticates the server 1 and registers it in the memory 22 (step S2), sends a registration completion notification to the server 1, and also transmits the playback information (information formed from each page of each subject and a corresponding playback clip name)
25 of the DVD 8 stored in the memory 22 to the server 1 (step S3). The server 1 receives the playback information and registers and saves it in the table of

the progress/playback information database 3B (step S4).

After such preprocessing, when the student connects his/her PC 7 to the Internet 5 to log in to the server 1 (step S5), the student number (student ID) and password of the student are transmitted to the server 1 (step S6). In this case, the server 1 determines whether the received student number and password are registered in the student information database 3A, and if it is, determines that the student is an authentic student (step S7).

After determining that the student is authentic, the server 1 transmits, to the PC 7, an initial page window where items (subjects) to be learned by the student are sequentially arranged on a window, and makes the display section 75 of the PC 7 display the window (step S8). The student selects a desired item from the initial page window displayed on the PC 7 (step S9). The selection information is transmitted to the server 1 (step S10). Upon receiving the selection information, the security gate 1A of the server 1 extracts the progress page of the item represented by the student number and selection information of the student by looking up the table in the student information database 3A (step S11), transmits, to the PC 7, a page content including image information represented by the progress page of the textbook of the corresponding item, which is stored in the web page 1B,

and causes the PC 7 to display the page content (step S12). When the contents of the progress page of the item selected by the student are displayed on the PC 7 as a window and audio data, the student side starts
5 learning the selected subject (step S14). At this time, the student inserts the DVD 8 into the PC 7 (step S13).

The learning progresses as, e.g., the teacher side (i.e., server 1 side) puts a question about the contents of the subject displayed on the screen of the
10 PC 7, and the student side (i.e., PC 7 side) answers the question. If the answer from the student side is correct, the security gate 1A of the server 1 allows progress to the next page. Consequently, the contents of the next page of the subject are sent from the server
15 1 side to the PC 7 and displayed on the PC 7 as a window and audio data, so learning about the page contents progresses in a similar way. The learning of the selected item sequentially progresses in this way. When the learning is ended, the page of the textbook of the
20 selected item under learning is registered as a progress page corresponding to the student number in the student information database 3A. Next time, the learning starts from the contents of that page.

When the student clicks on an omitted portion
25 in the displayed window of the textbook page under learning in order to compensate for the omitted portion with the information of the DVD 8, a DVD playback

request is transmitted from the PC 7 to the server 1
(step S15).

When the DVD playback request is transmitted
from the PC 7, the server 1 notifies the server 2 of the
5 PC authentication information of the student in step S16
of Fig. 5. The server 2 recognizes that the request is
from the server 1 that has already been authenticated
and registered in step S2 of Fig. 4, and registers the
PC authentication information of the student, which is
10 transmitted from the server 1 (step S17). The server 2
transmits, to the server 1, the URL (Uniform Resource
Locator)+ location (address) in the server 2+ of the
client-side playback control object 2B as a student
authentication registration completion notification
15 (step S18).

Upon receiving the URL of the client-side
playback control object 2B from the server 2, the server
1 extracts a playback clip name corresponding to the DVD
playback request transmitted from the PC 7 by looking up
20 the progress/playback information database 3B in which
the playback clip name transmitted from the server 2 in
advance is saved, attaches the playback clip name as a
parameter of the client-side playback control object 2B
(step S19), and notifies the PC 7 of it as a playback
25 page (step S20). The PC 7 requests the server 2 to
acquire the client-side playback control object 2B in
accordance with the description in the transmitted

5 playback page (steps S21 and S22). The PC 7 side
acquires the client-side playback control object 2B.
The acquired client-side playback control object 2B is
called a volatile playback control object because it is
used only when the playback information of the DVD 8 is
to be displayed at a position corresponding to the
playback clip name of the textbook page, and a new
playback control object must be acquired to display the
playback information of the DVD 8 at a position
10 corresponding to a new playback clip name.

The PC 7 acquires the client-side playback
control object 2B from the server 2 and then activates
the playback object 7B (step S23). By executing the
acquired client-side playback control object 2B, the PC
15 7 loads the playback clip name attached to the object 2B
as a parameter (step S24). The loaded playback clip
name is sent to the server 2 (step S25).

When the playback clip name is sent, the
server 2 executes the server-side playback control
20 object 2A (step S26), receives the playback clip name,
extracts, e.g., the repair IFO information 2C
corresponding to the playback clip name from the memory
22 by looking up the database 2D, and sends the repair
information to the PC 7 side (step S27). The PC 7
25 performs the following processing in step S28.

The PC 7 executes the acquired client-side
playback control object 2B to acquire the repair IFO

information from the server 2, and transfers the
information to the playback object 7B. The playback
object 7B transfers the repair IFO information to the
playback assistant software 7A. The playback assistant
5 software 7A registers the repair IFO information and
transmits a registration completion notification to the
playback object 7B. The repair IFO information
registration completion notification is further
transmitted from the playback object 7B to the
10 client-side playback control object 2B.

Upon receiving the repair IFO information
registration completion notification from the playback
object 7B, the client-side playback control object 2B
transmits the registration completion notification to
15 the server-side playback control object 2A of the server
2 (step S29).

When notified of the repair IFO information
registration completion notification, in step S30 of Fig.
6, the server-side playback control object 2A of the
20 server 2 transmits, to the PC 7, the playback position
information of the DVD 8 in the database 2D, which
corresponds to the playback clip name received in step
S25 of Fig. 7, as playback control instruction
information (playback start instruction information) to
25 be executed by the playback object 7B of the PC 7 (step
S31).

When the playback control instruction

information is transmitted from the server 2 to the PC 7,
the PC 7 performs the following processing in step S32.
The client-side playback control object 2B is executed
to acquire the playback control instruction information
5 from the server 2, the acquired information is
transferred to the playback object 7B, the playback
object 7B instructs the DVD player 7C and playback
assistant software 7A to play back the DVD 8, and the
playback control instruction information is transferred
10 to the playback assistant software 7A. In starting
playing back the DVD 8, the DVD player 7C plays back the
incomplete IFO file of the DVD 8.

When the DVD player 7C plays back the
incomplete IFO file of the DVD 8, the playback assistant
15 software 7A converts the playback information into
information repairable in accordance with the playback
control instruction information and the registered
repair IFO information (step S33) and sends the
information to the playback object 7B. The playback
20 object 7B recognizes the incomplete IFO file as a normal
IFO file and subsequently executes playback processing
to display a video signal played back next to the IFO
file by the DVD player 7C at the omitted portion of the
display window on the display section 75 (step S34).
25 The learning is continued as the video signal
corresponding to the omitted portion of the display
window is played back and displayed.

When the page is completely learned, learning of the next page starts, and an omitted portion in the display window for the page need be compensated for by the information of the DVD 8, the student clicks on the omitted portion, as described above. The flow returns to step S15 in Fig. 5. A DVD playback request is sent from the PC 7 to the server 1, and the processing steps from step S16 of Fig. 5 and the processing steps in Fig. 6 are executed again. In this case, the PC 7 acquires a client-side playback control object for playing back the omitted portion of the new page from the DVD 8, which is different from the preceding client-side playback control object. By executing this new client-side playback control object, playback processing of playing back a video signal in the DVD 8 and displaying the signal at the omitted portion of the display window on the display section 75 is performed (step S34).

When the learning of the pages of the selected subjects sequentially progresses, and the student ends the learning on the PC 7 (step S35), a learning completion notification is sent to the server 1 (step S36). Upon receiving the learning completion notification, the server 1 accesses the progress/playback information database 3B in the database 3 to update progress information (page of the selected subject) corresponding to the student number (step S37), and the processing is ended.

As described above, this learning system makes it possible to use the DVD 8 having a large storage capacity as a teaching material. As a result, a sufficient learning effect can be obtained. In addition, before the DVD 8 is provided to the student side, the IFO file of the DVD 8 is erased (or destroyed) in advance such that the DVD 8 is provided in an incomplete form. When the student uses the DVD 8, repair IFO information is transmitted from the server side, so the information of the DVD 8 can be played back in accordance with the repair IFO information. Hence, since the DVD 8 which is distributed to the student, e.g., for pay, it cannot be played back by a normal player, any illicit use of the DVD 8 by a third party can be prevented, and the provider who provides this system can be prevented from suffering loss.

In the above-described first embodiment, the playback assistant software 7A and playback object 7B are installed in the PC 7 in advance. However, the playback assistant software 7A and playback object 7B may be downloaded from the server 1 and stored in the memory of the PC 7 when the DVD 8 is set in the PC 7. Alternatively, the playback assistant software 7A and playback object 7B may be stored in the DVD 8, and when the DVD 8 is inserted into the PC 7, the server 1 may send an instruction to the PC 7, and the PC 7 may load the playback assistant software 7A and playback object

7B from the DVD 8 and store them in the memory in accordance with the instruction.

In the first embodiment, an omitted portion in the display window of a textbook page is displayed in accordance with information played back from the DVD 8. The playback information includes not only a video signal but also an audio signal. In addition, one page of a textbook may be played back from the DVD 8 and displayed on the PC 7.

In the sequence charts shown in Figs. 4 to 6, an incomplete IFO file that is erased or destroyed is repaired to a complete IFO file, and video data in the subsequent VOB file is played back and displayed on the PC 7. Modifications ~~which~~that inhibit playback of a DVD 8 will be described as the second embodiment.

As the first modification, the header field of the VOB file may be erased (or destroyed) in advance to make the file incomplete, as described above, and the header field may be repaired to play back the video signal in the subsequent VOB file and display it on a PC 7. Alternatively, the video signal or the like in the VOB file of the DVD 8 may be erased (or destroyed) in advance to make the file incomplete, and this portion may be repaired by the repair information from the server side and displayed on the PC 7.

As the second modification, the IFO file of the DVD 8 may be wholly erased (all data are "0"; the

file size is the same as that of a normal file). When a playback request for the DVD 8 is received from the PC 7, the IFO file may be sent from the server side to the PC 7 as repair information, and the PC 7 may play back the VOB file of the DVD 8 on the basis of the IFO file.

As the third modification, the IFO file of the DVD 8 may be formed as a file having a size "0", and the IFO file may be repaired to a normal file by repair information from the server side.

As the fourth modification, only the VOB file may be stored in the DVD 8 in advance. When a playback request for the DVD 8 is received from the PC 7, the IFO file may be sent from the server side to the PC 7, and the PC 7 may play back the VOB file of the DVD 8 on the basis of the IFO file.

As the fifth modification, the physical layout in the IFO file of the DVD 8 may be changed, and the PC 7 may repair the IFO file to a normal file in accordance with repair information from the server side and play back the VOB file of the DVD 8 on the basis of the IFO file.

More specifically, as the physical layout in the IFO file of the DVD 8, for example, ① VIDEO_TS.IFO to ⑥ VTS_01_0.IFO are normally laid out as shown in Fig. 7B.

In this case, for example, ⑥ VTS_01_0.IFO and ① VIDEO_TS.IFO may be exchanged to form an abnormal

file, and the IFO file may be repaired to a normal file
by repair information from the server side such that the
video data in the VOB file can be played back. In this
case, the VOB file may have an abnormal physical layout,
5 or both the VOB file and the IFO file may have abnormal
layouts.

As the sixth modification, the DVD 8 is
designed such that at least one of the IFO and VOB files
is not placed under the VIDEO_TS directory.

10 More specifically, the DVD 8 normally has a
logic structure as shown in Fig. 7C, in which the IFO
and VOB files such as VIDEO_TS.IFO and VIDEO_TS.VOB are
placed under the VIDEO_TS directory. In this case, the
logic structure of the DVD 8 may be changed such that
15 the IFO file or VOB file is not placed under the
VIDEO_TS directory, and the structure may be repaired to
a normal logic format by repair information from the
server side. With this processing, the PC 7 can play
back the information in the VOB file.

20 As the seventh modification, the IFO file name
or VOB file name such as VIDEO_TS.IFO or VIDEO_TS.VOB
located under the VIDEO_TS directory may be changed to
an impossible file name such as XXXX.YYY, and the name
may be repaired to a normal file name by repair
25 information from the server side.

As the eighth modification, file system
information (File Set Descriptor, File Identifier

Descriptor, File Entry, ICB, and the like) may be partially or entirely erased from the DVD 8, and the information may be repaired to a normal file name by repair information from the server side.

5 More specifically, VIDEO_TS.IFO, VIDEO_TS.VOB, and VIDEO_TS.BUP shown in Fig. 7D are regarded as the file system information. When data corresponding to these pieces of file system information are independently stored, and a piece of file system
10 information is erased, data corresponding to the file system information cannot be played back. In this case, when normal file system information is transmitted for the server side to the PC 7, the PC 7 can play back the information in the DVD 8.

15 As the ninth modification, the IFO and VOB files of the DVD 8 may be created as the DVD standard, and all video images in the DVD 8 may be played back in accordance with repair information (new IFO information) from the server side.

20 More specifically, for the DVD 8, normally, the IFO file and the VOB file corresponding to data A are created as the DVD standard, as shown in Fig. 7E. When a playback request for such a DVD 8 is received from the PC 7, the server side sends a new IFO file to
25 the PC 7. The PC 7 can play back information in a VOB-1 file corresponding to data B in Fig. 7E by the new IFO file and consequently play back all VOB files (VOB-2

file) of the DVD 8.

Of the above-described first to ninth
modifications that inhibit playback of video data in the
DVD 8, the fifth to eighth modifications can be combined
5 with other modifications except the ninth modification.

As described above, the DVD 8 that cannot be
played back by a normal player is provided to the user,
and when the DVD 8 is set in the PC 7, and a playback
request is sent from the PC 7, the server side transmits
10 repair information for the DVD 8 to the PC 7 to allow
the PC 7 to play back the DVD 8.

Such a DVD 8 is provided to the user (student
side) by a provider who provides this system, as
described above. The system provider must appropriately
15 charge the user for use of the DVD 8. In the third
embodiment, charging methods will be described.

As the first charging method, the user is
charged in units of DVDs.

As the second charging method, the server use
20 charge (per month or year) is collected from the user.

As the third charging method, the user is
charged every time the DVD is played back (i.e., for
each access to the server).

As the fourth charging method, the user is
25 charged when he/she accesses the server, and after that,
the video information in the DVD is played back for the
user (prepayment).

As the fifth charging method, a content such as an advertisement is inserted into the DVD 8, and the advertiser is charged.

As the sixth charging method, playback
5 assistant software 7A and playback object 7B are stored in each DVD, as described above, and a license fee is collected at the time of sale or distribution of each DVD.

As the seventh charging method, a person who
10 has developed DVD software to be used in this system is charged.

As the eighth charging method, the system provider causes a third party to operate the server and collects a software license fee from the third party.

15 When the above charging methods are employed, the system provider can operate the system without suffering loss.

Fig. 8 shows the fourth embodiment of the service system~~present invention~~. In the first
20 embodiment shown in Fig. 1, the servers 1 and 2 are prepared. However, as shown in Fig. 8, one server 2 may be commonly used by a plurality of servers 1a to 1c. With this arrangement, the plurality of servers can be unitarily managed by the single server 2. In this case,
25 the servers 1a to 1c may be in charge of different subjects, or the servers 1a to 1c may function as schools.

Alternatively, as in the fifth embodiment shown in Fig. 9, servers 1 and 2 may be integrated into a single server 9 and servers 9a to 9c may be connected to databases 3a to 3c, respectively. In this case, the
5 servers 9a to 9c may be in charge of different subjects, or the servers 9a to 9c may function as schools.

As has been described above, ~~according to the present invention,~~ the service system has a DVD having a first file (VOB file) which stores video and audio
10 information and a second file (IFO file) which stores playback control information for the information in the first file, the information being normally unable to be played back from the DVD, a PC connected to the Internet and adapted to receive the DVD, and a server arranged in
15 the Internet and having repair information which repairs the information in the DVD whose information cannot be played back. Upon receiving a playback request for the information in the DVD from the PC, the server returns the repair information to the PC and causes it to play
20 back the information from the DVD. When this system is applied to a learning system, the digital versatile disc 8 having a large storage capacity can be used as a teaching material, and consequently, sufficient learning effect can be obtained. In addition, since the
25 information in the DVD which is distributed to the student side, e.g., for pay, it cannot be played back by a normal player, any illicit use of the DVD by a third

party can be prevented, and the provider who provides this system can be prevented from suffering loss.

5 Further modifications and alternative embodiments
of various aspects of the invention will be apparent to
those skilled in the art in view of this description.
Accordingly, this description is to be construed as
illustrative only and is for the purpose of teaching
those skilled in the art the general manner of carrying
10 out the invention. It is to be understood that the
forms of the invention shown and described herein are to
be taken as the presently preferred embodiments.
Elements and materials may be substituted for those
illustrated and described herein, parts and processes
15 may be reversed, and certain features of the invention
may be utilized independently, all as would be apparent
to one skilled in the art after having the benefit of
this description of the invention. Changes may be made
in the elements described herein without departing from
20 the spirit and scope of the invention as described in
the following claims.